

Arconic Architectural Products For architects and builders, few things are more important than the successful execution of a bold design. That's why so many rely on Reynobond® composite material to amplify the impact of their ideas. Our lightweight, formable and colorful coil-coated finishes are available in both standard and custom finish options—opening up a world of possibilities for even your most ambitious concepts. Dramatic curves, daring angles and unique shapes come to life with eye-catching appeal and superior performance. Add easy maintenance with up to a 30-year warranty and you have a design solution that can go as far as your specifications—and imagination—require.

Bold Ideas Require Bold Finishes

Use this color chart as design inspiration for your next project. If you don't find the right shade, we're happy to produce individual custom colors upon request.



Colorweld® 500/500XL Finishes

Our coil-coated Colorweld® 500 and Colorweld® 500XL finishes offer superior performance. From soothing neutrals to shimmering silvers, these premium low- to medium-gloss finishes feature advanced resins with 70% polyvinylidene fluoride (PVDF) that provide excellent flexibility, strength wwand weather resistance



Duragloss® Finishes

With our Duragloss® paint system, you can explore your most imaginative ideas. Its UV resistance, bright color capabilities and high-to-low gloss levels add up to a bold image with fewer maintenance costs over the life of the building.



Design Line[™] Nature-Inspired Finishes

Inspired by Mother Nature, our Design Line™ finish system brings you a variety of striking options that mimic natural materials while providing all the performance benefits of Reynobond® composite material. These multi-layer-coat, advanced polymer finishes offer high resistance to aging, UV and corrosion that meets and exceeds their natural counterparts—delivering both beauty and brawn.



Anodized Finishes

With Anodized Reynobond® composite material, style goes more than skin deep. The anodized layer creates a harder, smoother surface with resistance to abrasion. Our Anodized composite material is lightweight and easy to fabricate, and has a great strength-to-weight ratio.



Brushed Aluminum Finishes

Sleek, contemporary and highly attractive, our Brushed Aluminum finishes combine natural beauty with high performance. They are designed to meet the aesthetics and durability requirements of exterior use to create a natural ook that distinguishes your buildings.



Duragloss® 5000¹

2-Coat Finishes | 20-year warranty | AAMA 2604



$\textcolor{red}{\textbf{Duragloss}^{\$}} \ 3000^{1} \ \text{For other program specific finishes please contact AAP LLC customer service department.}$

2-Coat and 3-Coat (Stripe) Finishes | 10-year warranty | AAMA 2604



Duragloss® 1000¹

2-Coat Finishes | 5-year warranty | AAMA 2603



Colorweld® 500

Series One | 2-Coat Solid Finishes | 30-year warranty | AAMA 2605



^{*}Color is a w-coat solid finish and may be subject to a higher price. Please consult Regional Sales Manager for additional pricing.
**Coil width is program specific. Please consult your Regional Sales Manager for applicable pricing.

Series Two | 2-Coat Mica Finishes | 30-year warranty | AAMA 2605



Series Three | 3-Coat Metallic Finishes | 30-year warranty | AAMA 2605



Matte Series

2-Coat Solid Finishes | 30-year warranty | AAMA 2605



$\mathbf{PrismFX}^{\mathsf{TM}}$

20-year warranty | AAMA 2604



Design Line[™]

Wood Finishes | 30-year warranty | AAMA 2605



Mineral Finishes | 30-year warranty | AAMA 2605

Textured Finishes | 30-year warranty | AAMA 2605

Stone Finishes | 30-year warranty | AAMA 2605



Concrete Finishes | 30-year warranty | AAMA 2605



Patina Finishes | 30-year warranty | AAMA 2605



Metro Zinc Finishes | 30-year warranty | AAMA 2605



Due to the printing process, the colors depicted here may deviate from the actual colors available.

Arconic Architectural Products LLC (AAP) reserves the right to change or withdraw information contained herein without prior notice.

Contact AAP for material samples.

Mirror

Clear Coat | 10-year warranty



Brushed Aluminum² Compatible with PPG's DuraPrep® Prep™ 400 grafitti and overspray cleaner.

Clear Coat | 20-year warranty



Anodized^{2,3}

AA-M10C22A43 | AAMA 611 Class 1



AA-M10CC22A42 | AAMA 611 Class 1



- $1\ \ Please\ refer\ to\ stocking\ list\ at\ reynobond.com\ for\ stocking\ size\ availability.\ Minimum\ quantities\ may\ be\ required\ for\ 4MM\ FR\ production.$
- 2 The appearance of Anodized and Brushed Aluminum finishes may vary with lot of production.
- 3 Available material stocked in mill finish and anodized to order.

AA-M10CC22A41 | AAMA 611 Class 1

Finish Performance Properties

Property	Colorweld® 500	Colorweld® 500XL	Brushed Aluminum	Design Line™	Duragloss® 5000	Duragloss® 3000	Duragloss® 1000
Qualifying Standard	AAMA 2605	AAMA 2605	AAMA 2605	AAMA 2605	AAMA 2604	AAMA 2604	AAMA 2603
Number of Coating Layers	2-Coat	3-Coat	1-Coat	2-Coat or 3-Coat	2-Coat	2-Coat or 3-Coat	2-Coat
Available Gloss Range	Low to Medium	Low to Medium	Low to high	Low to Medium	Low to High	Low to High	Low to High
Relative Coating Durability	Notobole:	3050504	3053063t	76-16-16-1	Nototok	3004	**
Relative Color and Gloss Retention (UV Resistance)	stototote-	3050606	2606-260-26	36365K	Nototos	3005	3694

For more information or to request a color sample, contact your local sales manager or visit **reynobond.com**



DISCLAIMER

Laws and building and safety codes governing the design and use of AAP's products, and specifically aluminum composite materials, vary widely. It is the responsibility of the owner, the architect, the general contractor, the installer and the fabricator/transformer, consistent with their roles, to determine the appropriate materials for a project in strict conformity to all applicable national, regional and local building codes and regulations.

REYNOBOND® FR AND AS3000B HAVE SUCCESSFULLY PASSED US NFPA 285, E84 AND CANADA S134, S102 TESTS AS A PART OF AN ASSEMBLY. ENSURE THE PRODUCT IS USED IN A SYSTEM THAT COMPLIES WITH ALL APPLICABLE REGULATIONS. REYNOBOND® PE IS COMBUSTIBLE; IT COULD CATCH FIRE AND BURN. ANY LABORATORY TESTING INFORMATION PROVIDED BY AAP LLC APPLIES ONLY TO THE PARTICULAR PRODUCT OR ASSEMBLY TESTED AND DOES NOT NECESSARILY REPRESENT HOW PRODUCTS WILL ACTUALLY PERFORM IN USE. REPORTS AND TEST DATA CORRESPONDING TO A PARTICULAR TESTED PRODUCT SAMPLE OR ASSEMBLY ARE NOT A GUARANTEE THAT THE SAME PRODUCT OR ASSEMBLY WOULD ALWAYS ACHIEVE THE SAME TEST RESULT.

Information contained herein or related hereto is intended only for evaluation by technically skilled persons, with any use thereof to be at their independent discretion and risk. AAP and its affiliates shall have no responsibility or liability for results obtained or damages resulting from such use. AAP grants no license under, and shall have no responsibility or liability for infringement of, any patent or other proprietary right. Nothing in this document should be construed as a warranty or guarantee by AAP, and the only applicable warranties will be those set forth in AAP acknowledgment or in any printed warranty documents issued by AAP. The foregoing may be waived or modified only in writing signed by an AAP officer.